

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 022 652 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
26.07.2000 Bulletin 2000/30

(51) Int Cl.7: G06F 3/12

(21) Application number: 99111812.6

(22) Date of filing: 18.06.1999

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
Designated Extension States:
AL LT LV MK RO SI

• McMillan, Harold T.
Boise, Idaho 83703 (US)
• Wiley, Steve R.
Boise, Idaho 83713 (US)

(30) Priority: 19.01.1999 US 233290

(71) Applicant: Hewlett-Packard Company
Palo Alto, California 94304 (US)

(74) Representative: Schoppe, Fritz, Dipl.-Ing.
Schoppe, Zimmermann & Stöckeler
Patentanwälte
Postfach 71 08 67
81458 München (DE)

(72) Inventors:
• Lomas, James W.
Boise, Idaho 83702 (US)

(54) Method and apparatus for automatic installation of shared printers over a network

(57) The method of the invention enables installation of a network printer (12) onto a client processor (14) and employs a server (20) for managing printer installations. Initially, the server (20) receives a printer identifier message from the network printer (12) and then creates an executable installation program using identifier information from the printer identifier message. Thereafter, the server (20) transmits an e-mail message to the client processor (14), which e-mail message includes an executable printer driver installation program (34). Upon receipt of the e-mail message, the client processor (14) recognizes the executable installation program (34) and, upon installation thereof, is enabled to utilize the network printer (12).




FIG. 1

EP 1 022 652 A2

Description

FIELD OF THE INVENTION

[0001] This invention relates to a method and apparatus for enabling remote installation of printer driver software onto a client processor, the software allowing access to a shared network printer and, more particularly, to use of an E-Mail message to accomplish such an installation.

BACKGROUND OF THE INVENTION

[0002] Enabling a client processor to employ a newly added printer over a network connection is often a complex task. To provide for installation of such a newly added printer, an administrator generally must first configure a print queue on a print server that is coupled to the network. Then, print queues must be configured on each network-connected computer that is to serve as a client for the new printer.

[0003] The most common method used today to enable installation of printer driver software onto a network-connected client processor is via manual notification. More specifically, the network administrator verbally informs users of the presence of a new network printer and then manually sets up the new printer driver software on each client work station. This procedure is both tedious and expensive for the administrator, especially if the clients are located at remote sites.

[0004] Another prior art method for installation of such software on a network-connected client processor involves the administrator sending an E-Mail message to each of the interested users that describes the process for installation of the new network printer. Each user is then, individually, responsible for such installation on his/her client processor. To accomplish such installation, each user must enter the various configuration parameters for the new printer on the local client processor. This technique is used by the Microsoft "Point-and-Print" procedure. Experience has shown that many users do not understand the process and require assistance to correct errors that have been made during the installation process.

[0005] A still further method for enabling a network printer driver software installation on a client processor involves a technique utilized by the Novell Distributed Print System (NDPS). The NDPS procedure requires the installation of specialized client software on each of the user's machines, which client software enables detection of a message and installation of new network printer driver software. The disadvantage of the NDPS procedure is that it requires an administrator to install the specialized software on each client machine.

[0006] Presently, the Microsoft "Windows" operating system ("Windows" is a trademark of the Microsoft Corporation, Redmond, Washington), includes a procedure which recognizes an ".exe" extension on a received pro-

gram handle as an executable program. The Windows operating system can then automatically execute an installation of the .exe program so long as the remainder of the program handle includes any necessary instruction data, such as an "install" indication.

[0007] Accordingly, it is an object of this invention to provide an improved method and apparatus for installation of a printer driver program for a newly connected, shared network printer onto a network-connected client processor.

[0008] It is a further object of this invention to provide a method and apparatus for enabling a client processor to install printer driver software for a network-connected printer, wherein the user is not required to enter printer-related parameters into the installation program.

[0009] It is still another object of this invention to enable a client processor that is connected to a network to automatically install a printer driver for a network printer, wherein the client processor requires no special software to accomplish the installation program.

SUMMARY OF THE INVENTION

[0010] The method of the invention enables installation of a network printer onto a client processor and employs a server for managing printer installations. Initially, the server receives a printer identifier message from the network printer and then creates an executable installation program using identifier information from the printer identifier message. Thereafter, the server transmits an e-mail message to the client processor, which e-mail message includes an executable printer driver installation program. Upon receipt of the e-mail message, the client processor recognizes the executable installation program and, upon installation thereof, is enabled to utilize the network printer.

BRIEF DESCRIPTION OF THE DRAWINGS

[0011] Fig. 1 is a block diagram of a system incorporating the invention.

[0012] Fig. 2 is a logical flow diagram illustrating the method of the invention.

DETAILED DESCRIPTION OF THE INVENTION

[0013] A primary objective of the invention is to enable installation of printer driver software for a network printer onto a client processor, without requiring substantial user intervention in the process. Accordingly, as shown in Fig. 1, a network 10 includes a plurality of processing elements connected thereto. Initially, assume that it is desired to connect printer 12 to network 10 and to enable it to be utilized by one or more client processors 14, without requiring the operators of client processors 14 to be involved in installing the printer driver software. Printer 12, in this instance, is coupled to a host processor 16 and further includes a network card 18. Network

card 18 enables printer 12 to recognize an interconnection to network 10 and, in conjunction with host processor 16, to perform certain network-related identifier functions.

[0014] In specific, network card 18, upon sensing an occurrence of a network connection, causes printer 12, under control of host processor 16, to issue a Service Location Protocol (SLP) packet onto network 10. An SLP packet includes, among other data, the printer's name, its model number, its hardware address, its host's name and its IP address.

[0015] A server 20 is coupled to network 10 and includes a central processing unit (CPU) 22 that is coupled to a memory 24 which includes a number of procedures that are utilized to carry out the invention. More specifically, memory 24 includes a background monitoring procedure 26 which continually monitors data flowing on network 10 and, in this instance, recognizes the presence of an SLP packet message thereon. Upon sensing an SLP packet, server 20 checks to determine if printer folder 28 has a printer object for printer 12. Assuming that no such printer object exists, server 20 creates a printer object 29 with the data acquired from the SLP packet issued by printer 12.

[0016] A printer/client installer procedure 30 (hereafter referred to as PCIP 30) monitors printer folder 28 and detects the addition of a new printer object (e.g. printer object 29). PCIP 30 then configures an executable printer installation program for the one or more client processors 14 that may wish to utilize new printer 12. To accomplish such configuration, PCIP 30 accesses a shell executable installation program 32 and, employing the identifier data from printer object 29, populates shell executable installation program 32 with the necessary parameters received from printer 12. This results in the creation of a new printer executable installation program (NPIP) 34.

[0017] Thereafter, PCIP 30 causes e-mail procedure 36 to prepare an e-mail message to a group of client processors (of which client processor 14 is one) and to attach NPIP 34 thereto. That e-mail message is then dispatched to its recipients, including client processor 14, via an e-mail server 40 that is coupled to network 10.

[0018] In the known manner, e-mail server 40 stores the e-mail message along with NPIP 34 in a mailbox 42 reserved for client processor 14. Thereafter, when a user causes client processor 14 to log-on to e-mail server 40, a download of the contents of mailbox 42 is enabled, and the e-mail message and attached NPIP 34 are loaded into the memory 44 in client processor 14. Assuming that client processor 14 includes the Windows operating system and, further, that the data in NPIP 34 has an appropriate suffix (e.g., .exe), the Windows operating system 46 recognizes the attached NPIP 34 message as an executable program. The user may then undertake to install NPIP 34 onto client processor 14. Importantly, the user is not required to enter any printer or network parameters to accomplish the installation. Such installation

adds the name of printer 12 to a list of network printers available for use by client processor 14 and a printer access procedure with all necessary data to enable communications between client processor 14 and printer 12, without requiring further user intervention.

[0019] Accordingly, a system administrator, operating server 20 can easily inform interested client processors of newly installed network printers simply by dispatching e-mail messages to the respective client processors. Further, users of the new network printer can install the printer driver software onto their client processors by running a delivered executable, either automatically, or with user intervention. Since the executable is customized for each printer, no user inputs are required and thus the chance for error is minimized. Further, the invention does not require any specialized software on the client processors to perform the installation. Any commonly available e-mail client software, running under a Windows operating system will operate the invention.

[0020] The description above has assumed that each of the software procedures required to perform the method of the invention are already loaded into memory 24 on server 20. Those skilled in the art will understand that the procedures stored in memory 24 can also be incorporated into a memory media device 48, so as to be available on an as-needed basis by CPU 22. Further, it is to be understood that the controlling software in memory 24 is likely to be delivered to server 20, either directly via memory media 48 or by a further client processor downloading the code from memory media 48 to server 20.

[0021] Turning now to Fig. 2, the method of the invention is illustrated in the form of a logical flow diagram. Initially, it is assumed that new printer 12 is plugged into a network terminal and a network card 18 installed on the new printer, detects the presence of network 10 (step 50). Thereafter, network card 18, in conjunction with CPU 16 that controls new printer 12 causes dispatch of an SLP packet (step 52). As indicated above, the SLP packet includes the printer's name, its model number, hardware address, host name, IP address, etc..

[0022] Thereafter, print server 20 detects the SLP packet and creates a new printer object 29 in its printer folder 28 (step 54). Upon detecting the creation of new printer object 29, printer/client installer procedure (PCIP) 30 modifies shell executable installation procedure 32 with the new printer parameters and creates a new printer executable installation program (NPIP) 34 (step 56).

[0023] PCIP 30 then attaches NPIP 34 to an e-mail message. As above-indicated, the e-mail message includes whatever suffix is required to enable a client processor operating system to recognize the message as executable.

[0024] Thereafter, PCIP 30 dispatches the e-mail message to the client processors that are listed as desiring such messages, e.g., client processor 14 (step 58). At some later time, each client processor down-

loads the e-mail message, along with its attached NPIP 34 (step 60).

[0025] Under control of their respective operating systems, the respective client processors recognize the executable state of the NPIP 34. A user at each respective client processor may then proceed with installation. To accomplish such installation, the user needs not enter any data regarding the new printer into NPIP 34 but rather, just to "install" the program on the client processor (step 62).

[0026] It should be understood that the foregoing description is only illustrative of the invention. Various alternatives and modifications can be devised by those skilled in the art without departing from the invention. For instance, it has been assumed that printer server 20 becomes aware of printer 12 as a result of a message received via network 10. The invention also contemplates that printer server 20 could become aware of network printer 12 as a result of a direct input of the printer identification data to printer server 20 by a system administrator. Accordingly, the present invention is intended to embrace all such alternatives, modifications and variances which fall within the scope of the appended claims.

Claims

1. A method for enabling installation, via a network (10), of a network printer (12) onto a client processor (14), said network (10) including a printer server (20) for managing printer installations, said printer server (20) including a memory (24) for registering printers served thereby, said printer server performing the method comprising the steps of:
 - a) recognizing that a printer identifier of a network printer (12) has been added to said memory (24);
 - b) creating an executable installation program (34), using printer identifier information from said printer identifier; and
 - c) transmitting an e-mail message to said client processor (14), said e-mail message including said executable installation program (34), whereby, upon receipt of said e-mail message, said client processor (14) is enabled to recognize said executable installation program (34) and, upon installation thereof, to utilize said network printer (12) via said network (10).
2. The method as recited in claim 1, wherein step a) is preceded by the network printer (12) performing the step of:
 - recognizing a connection to said network (10) of said network printer (12), and in response, issuing onto said network (10) a service locator protocol message, including said printer identifier information,

said printer server (20) receiving said service locator protocol message and storing in said memory (24) said printer identifier information.

3. The method as recited in claim 1, wherein said printer server (20), in step c) attaches said executable installation program (34) as an attachment to said e-mail message.
4. The method as recited in claim 1, wherein step b) further comprises:
 - accessing a shell installation program (32) and employing said printer identifier information to alter said shell installation program (32) to said executable installation program (34).
5. A memory media (48) for controlling a printer server (20) to enable installation of a network printer (12) onto a client processor (14), via a network interconnection, said printer server (20) including a memory for registering network printers served thereby, said memory media (48) comprising:
 - a) means (48,22) for controlling said printer server (20) to recognize that printer identifier information of a network printer (12) has been added to said memory;
 - b) means (48,22) for controlling said printer server (20) to create an executable installation program (34), using said printer identifier information; and
 - c) means (48,22) for controlling said printer server (20) to transmit an e-mail message to said client processor (14), said e-mail message including said executable installation program (34), whereby, upon receipt of said e-mail message, said client processor (14) is enabled to recognize said executable installation program (34) and, upon installation thereof, to utilize said network printer (12) via said network (10).
6. The memory media (48) as recited in claim 5, wherein said means c) (48,22) attaches said executable installation program (34) as an attachment to said e-mail message.
7. The memory media (48) as recited in claim 5, wherein means b) (48,22) accesses a shell installation program (32) and employs said printer identifier information to alter said shell installation program (32) to said executable installation program (34).
8. A printer server (20) for enabling installation of a network printer (20) onto a client processor (14), said printer server (20) including a processor (22) and a memory (24) for registering printers served thereby, and further comprising:

a) monitoring means (26) for enabling said processor (22) to recognize that printer identifier information regarding a network printer (12) has been added to said memory (24);
b) monitoring means (26) for enabling said processor (22) to recognize a printer identifier message from said network printer (12);
c) a printer/client installation procedure (30) for controlling said processor (22) to create an executable installation program (34), using said printer identifier information; and
d) means (36) for transmitting an e-mail message to said client processor (14), said e-mail message including said executable installation program (34), whereby, upon receipt of said e-mail message, said client processor (14) is enabled to recognize said executable installation program (34) and, upon installation thereof, to utilize said network printer (12) via said network (10).

9. The printer server (20) as recited in claim 8, wherein said operation of said monitoring means (26) is preceded by the network printer (12) recognizing a connection to said network (10) of said network printer (12), and in response, issuing onto said network (10) a service locator protocol message, including said printer identifier information which is received and recognized by said monitoring means (26).
10. The printer server (20) as recited in claim 8, wherein said means c) (36) attaches said executable installation program (34) as an attachment to said e-mail message.
11. The printer server (20) as recited in claim 8, wherein said printer/client installation procedure (30) accesses a shell installation program (32) and employs said printer identifier information to alter said shell installation program (32) to said executable installation program (34).




FIG.1




FIG.2

THIS PAGE BLANK (USF



(11) **EP 1 022 652 A3**

(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
17.12.2003 Bulletin 2003/51

(51) Int Cl.7: **G06F 3/12**

(43) Date of publication A2:
26.07.2000 Bulletin 2000/30

(21) Application number: **99111812.6**

(22) Date of filing: **18.06.1999**

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
 Designated Extension States:
AL LT LV MK RO SI

(72) Inventors:
 • **Lomas, James W.**
 Boise, Idaho 83702 (US)
 • **McMillan, Harold T.**
 Boise, Idaho 83703 (US)
 • **Wiley, Steve R.**
 Boise, Idaho 83713 (US)

(30) Priority: **19.01.1999 US 233290**

(71) Applicant: **Hewlett-Packard Company,**
A Delaware Corporation
Palo Alto, CA 94304 (US)

(74) Representative: **Schoppe, Fritz, Dipl.-Ing. et al**
Schoppe, Zimmermann, Stöckeler & Zinkler
Patentanwälte
Postfach 246
82043 Pullach bei München (DE)

(54) **Method and apparatus for automatic installation of shared printers over a network**

(57) The method of the invention enables installation of a network printer (12) onto a client processor (14) and employs a server (20) for managing printer installations. Initially, the server (20) receives a printer identifier message from the network printer (12) and then creates an executable installation program using identifier information from the printer identifier message. Thereafter, the server (20) transmits an e-mail message to the client processor (14), which e-mail message includes an executable printer driver installation program (34). Upon receipt of the e-mail message, the client processor (14) recognizes the executable installation program (34) and, upon installation thereof, is enabled to utilize the network printer (12).




FIG. 1

EP 1 022 652 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 99 11 1812

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	EP 0 868 062 A (XEROX CORP) 30 September 1998 (1998-09-30) * figure 2 * * column 3, line 33 - column 5, line 6 *	1,2,5,8, 9	G06F3/12
A	EP 0 886 206 A (HEWLETT PACKARD CO) 23 December 1998 (1998-12-23) * the whole document *	1,2,5,8, 9	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			G06F G06K
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
The Hague		24 October 2003	Weiss, P.
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EP 0 868 062 A (XEROX CORP)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 99 11 1812

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

24-10-2003

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0868062	A	30-09-1998	DE 69815192 D1	10-07-2003
			EP 0868062 A2	30-09-1998
			JP 10312252 A	24-11-1998
			US 5960167 A	28-09-1999
EP 0886206	A	23-12-1998	US 6184996 B1	06-02-2001
			EP 0886206 A2	23-12-1998
			JP 11024870 A	29-01-1999

EPO FORM P459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

THIS PAGE BLANK (USPTO)